




Series: Internal Antenna PART NUMBER: W3315B0100



Features:

- Dualband WiFi antenna
 - 2400-2500MHz
 - 4900-5925MHz
- Gain 2/5dBi
- Connector:
 - IPEX MHF –A13 20428-001R
- Cable 100mm OD 1.13mm




Applications:

- WiFi, Bluetooth, BLE, ZigBee
- DSRC
- 2.4 and 5GHz proprietary radios
- IoT and M2M terminals
- · Security, Transportation

All dimensions are in mm / inches

Issue: 1617

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





TECHNICAL DATA SHEET

Series: Internal Antenna PART NUMBER: W3315B0100

ELECTRICAL SPECIFICATIONS

Frequency 2.4-2.5/4.9-5.925GHz

Nominal Impedance 50Ω

VSWR 2:1

Gain (2400-2500MHz) 2dBi +/- 1 dB

Gain (4900-5925MHz) 5dBi +/- 1 dB

Efficiency(Average) 70%

Radiation Pattern OMNI

Polarization: Vertical

Power withstanding 2W Max

Connector type IPEX MHF –A13 20428-001R

Suggested Receptacle I-PEX 20429-001E

Cable type Φ 1.13mm, Black

Cable length 100mm



TECHNICAL DATA SHEET

Description: INTERNAL FPC DUAL-BAND WIFI

Series: Internal Antenna PART NUMBER: W3315B0100

MECHANICAL SPECIFICATIONS

Weight 0.5 g

Fixing system Adhesive Tape

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40 ~ +85° C

Humidity 95% RH @ +25°C for 12 h and 55°C for 12h, 6 cycles


Salt mist 48 hours





Series: Internal Antenna PART NUMBER: W3315B0100

MECHANICAL DRAWING








Series: Internal Antenna PART NUMBER: W3315B0100

CHARTS

Measured with 2mm plastic (ABS) part.

VSWR












Series: Internal Antenna PART NUMBER: W3315B0100

CHARTS

Efficiency(%)

W3315B0100



Gain(dBi)

W3315B0100

6
5
1
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2
1
0
2

Issue: 1617

ROHS






Series: Internal Antenna PART NUMBER: W3315B0100

CHARTS

3D pattern

The pattern is measured on 2mm plastic (ABS) part.








Series: Internal Antenna PART NUMBER: W3315B0100


2400-2500MHz

CHARTS

H_plane



E_plane



Issue: 1617




Series: Internal Antenna PART NUMBER: W3315B0100


4900-5925MHz

CHARTS

H_plane



E_plane



Issue: 1617



TECHNICAL DATA SHEET

Description: INTERNAL FPC DUAL-BAND WIFI

Series: Internal Antenna PART NUMBER: W3315B0100

PACKAGING

- 10 antennas packed in one plastic bag
- 10 plastic bags of 10 antennas packed in a bubble bag
- 15 bubble bags of 100 antennas packed in a cardboard box
- 1 label on each box with qty, part number, date code.