


LOC	DIST	REVISIONS					
AI	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B1	ECR-15-006103	21APR15	LS	GS

Kontakt Contact	DGB Range (sq.mm)	Leitercrimpöhe Conductor Crimp Height ±0,03 (mm)	Leitercrimpbreite Conductor Crimp Width gemessen an den Tangenten der Radien (mm)	Isolationscrimpbreite Insulation Crimp Width gemessen an den Tangenten der Radien (mm)	Iso-Ø Ins. Range
963759 / 963920	0,2 - 0,5	1,03	1,58	2,27	1,15 - 1,6
963760 / 963921	0,5 - 1,0	1,25	2,03	2,48	1,4 - 2,1
963761 / 963922	1,5	1,58	2,54	3,22	2,1 - 3,0
	2,5	1,88			

Die Darstellungsmaße können vom Lieferumfang abweichen /
 THE PREPRESENTATION OF DIMENSION CAN BE DEVIATE FROM SCOPE OF DELIVERY



1 Alternativ Schraube für die untere Matrize ohne Kontaktaufnahme, siehe Anleitung / Alternative screw to use the lower die without Locator, see instruction sheet

SPARE PARTS			
POS	QTY	TE PN	DESCRIPTION
1	1	-	Die set / Matrizensatz
2	1	-	Locator / Kontaktaufnahme
3	1	-	Positioner / Positionierer
4	1	2079383-5	Fillister-head screw, ISO 7380 - M4 x 20
5	1	1-2079383-3	Fillister-head screw, ISO 7380 - M4 x 25
6	2	519024-2	locking nuts, DIN 985 - M4
7	1	1-2079383-6	Fillister-head screw, ISO 7380 - M4 x 10
8	1	1-744017-7	Customer Manual

USED WITH ERGOCRIMP
 TE PN 539635-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	25MAR2002		TE Connectivity
		CHK	25MAR2002		
		APVD	25MAR2002		
		PRODUCT SPEC	U. Reuter		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ± 1 PLC ±±± 2 PLC ±±± 3 PLC ±±± 4 PLC ±±± ANGLES ±		ERGOCRIMP DIE SET, INCL. LOCATOR, LOCKING TAB REC. 3.3	
MATERIAL		FINISH		RESTRICTED TO	
		Gewicht / Weight in Kg		SIZE	CAGE CODE
		0.076		A3	00779
		CUSTOMER DRAWING		DRAWING NO	
				G= 539755-2	
				SCALE	SHEET
				1:1	1 OF 1
				REV	B1