Multilayer Ceramic Chip Capacitors

1 of 3 Creation Date : May 02, 2017 (GMT)

C1608X7R1H224K080AB










TDK item description C1608X7R1H224KT****

Applications	Commercial Grade	
	Please refer to Part No. <u>CGA3E3X7R1H224K080AB</u> for Automotive use.	
Feature	General General (Up to 50V)	
Series	C1608 [EIA 0603]	
Status	Production (Not Recommended for New Design)	



Size		
Length(L)	1.60mm ±0.10mm	
Width(W)	0.80mm ±0.10mm	
Thickness(T)	0.80mm ±0.10mm	
Terminal Width(B)	0.20mm Min.	
Terminal Spacing(G)	0.30mm Min.	
Recommended Land Pattern (PA)	0.70mm to 1.00mm(Flow Soldering)	
recommended Land Fattern (FA)	0.60mm to 0.80mm(Reflow Soldering)	
Recommended Land Pattern (PB)	0.80mm to 1.00mm(Flow Soldering)	
Neconimended Land Factern (FB)	0.60mm to 0.80mm(Reflow Soldering)	
Recommended Land Pattern (PC)	0.60mm to 0.80mm(Flow Soldering)	
neconiniented Land Fattern (FC)	0.60mm to 0.80mm(Reflow Soldering)	

Electrical Characteristics		
Capacitance	220nF ±10%	
Rated Voltage	50VDC	
Temperature Characteristic	X7R(±15%)	
Dissipation Factor (Max.)	5%	
Insulation Resistance (Min.)	2272ΜΩ	

Other		
Soldaring Mathad	Wave (Flow)	
Soldering Method	Reflow	
AEC-Q200	No	
Packing	Punched (Paper)Taping [180mm Reel]	
Package Quantity	4000pcs	

[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1H224K080AB














Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

C1608X7R1H224K080AB










Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.