



telephone 949 252 0522





Product Category: Ceramic Resonator

Series Number	Package	Description	Last Modified
681 ~ 682	ZTACR / ZTTCR Ceramic	SMD Resonator	Jan. 01 2007

FEATURES

- Extended temperature range
- Utlra Small SMD Ceramic Resonator
- High stability
- RoHs Compliant







OPERATING CONDITIONS / ELECTRICAL CHARACTERISTICS

Series No.	Туре	Fig	Frequency Range*	Frequency Accuracy	Stability in Temperature	Aging for Ten Years
			(MHz)	@ 25° (MHz)	-20° ~ +80°C	-
681	ZTACR	1	4.0 ~ 8.0	±0.5%	±0.3%	±0.3%
682	ZTTCR	2	4.0 ~ 8.0			

^{*}Otherr Freq. Avail. Contact Oscilent for assistance.


PACKAGE DIMENSIONS (mm)






Recommended Land Pattern

Recommended Land Pattern





→ Vdd: +5V IC 1 Mohm

Figure 1) ZTACR

Figure 2) ZTTCR

Test Circuit IC

Freq. $4.0 \sim 8.0 \text{ MHz}$:

IC: 1/6TC4069UBPx2

VALUES OF C1 & C2

Frequency Range (MHz)	C1 (pF)	C2 (pF)	
4.0 ~ 8.0	10	10	

PART NUMBER GUIDE

Pai	rt Number	Frequency	Load Capacitance	Frequency Accuracy (%)	Operating Temp (°C)	Packaging**
	682	- 4.0M	- 30	- 03	W	- TR
681 = 682 =	ZTACR ZTTCR	e.g4.0M = 4.00 MHz Std. Range = 20.0 ~ 50 MHz Other Freq. Avail. Contact Oscilent for assistance.	Blank* = Standard as shown in above Table or Fill in the blank e.g 30 = 30pF	Blank* = ±0.5% -03 = ±0.3%	Blank* = -20 ~ +80 -N = -40 ~ +85 -W = -40 ~ +125	Blank* = Bulk -TR = Tape/ Reel

NOTE: Deviations on all parameters available. Please consult Oscilent for details.

DEFINITIONS: Click on the characteristic names above, for definitions of the particular characteristic.

*STANDARDS: "Blank" part number selections, indicate standard variables for the particular characteristic.

**PACKAGING: Click on the packaging name above for tape/reel specifications

Series No.: 681 to 682

Oscilent Corporation - CALL 949.252.0522

18195 East McDurmott Street . Building D . Irvine . CA 92614 . USA Fax: 949.252.0599 . E-Mail: Sales@Oscilent.com

Crystal Oscillators | Quartz Crystal | TCXO | VCXO | IF SAW Filter | RF SAW Filter | Ceramic Resonator Crystal Filter | Ceramic Filter | SAW Filter / SAW Devices | Site Map