



TABLE II	
CONN. CODE	SPECIFICATION
A	MIL-DTL-5015 (MS34**), MIL-C-26482 SER. II, MIL-DTL- 83723 SER. I, III.
C	MIL-C-22992 SER. R
D	MIL-C-26482 SER. I
F	MIL-DTL-38999, SER. I
G	MIL-C-28840
H	MIL-DTL-38999 SER. III, IV
W	GLENAIR SER. 22 (GEO MARINE)

TABLE III			
DASH NO	MIL PRF SIZE	B MIN.	C THREAD CLASS 2B
08	A	0.245 (6.22)	.438-28 UNEF
12	J	0.370 (9.40)	.563-24 UNEF
16	B	0.495 (12.57)	.688-24 UNEF
20	K	0.620 (15.75)	.813-20 UNEF
24	C	0.745 (18.92)	.938-20 UNEF
32	D	0.995 (25.27)	1.250-18 UNEF
40	E	1.245 (31.62)	1.563-18 UNEF
48	F	1.495 (37.97)	1.875-16 UN
64	G	1.995 (50.67)	2.375-16 UN
80	H	2.495 (63.37)	2.875-16 UN
96	L	2.995 (76.07)	3.375-16 UN

APPLICATION NOTES

1. Assembly identified with manufacturer's code identification number (Glenair, part number and classification code 490).
2. Length tolerance is 0-24" = $\pm 1/4"$, for longer lengths is $\pm 1\%$ of length.
3. Glenair 600 series backshell assembly tools are recommended for assembly installation.
4. Material / Finish:
Adapter, ferrule & coupling nut, AISI 316 stainless steel / electroless nickel, matte finish.
5. Metric dimensions (mm) are indicated in parentheses.

759-862
Connector to Adapter
Factory Terminated Conduit Assembly



MIL-PRF
24758A

TABLE I							A THREAD REF
CONNECTOR DESIGNATOR							
A	C	D	F	G	H	W	
		08	08 [9]				7/16-28 UNEF
					09 [A]		M12 X 1 - 6H
08							1/2-20 UNF
		10	10 [11]				9/16-24 UNEF
					11 [B]		M15 X 1 - 6H
10						10	5/8-24 UNEF
		12	12 [13]				11/16-24 UNEF
					13 [C]		M18 X 1 - 6H
12	12			11 A		12	3/4-20 UNEF
		14	14 [15]				13/16-20 UNEF
					15 [D]		M22 X 1 - 6H
14	14			13 B		14	7/8-20 UNEF
		16	16 [17]				15/16-20 UNEF
					17 [E]		M25 X 1 - 6H
16	16			15C		16	1-20 UNEF
18		18	18 [19]				1 1/16-18 UNEF
					19 [F]		M28 X 1 - 6H
	18			17 D			1 1/8-18 UNEF
						18	1 1/8-16 UN
20		20	20 [21]				1 3/16-18 UNEF
					21 [G]		M31 X 1 - 6H
	20			19 E			1 1/4-18 UNEF
						20	1 1/4-16 UN
22		22	22 [23]				1 5/16-18 UNEF
					23 [H]		M34 X 1 - 6H
	22						1 3/8-18UNEF
						22	1 3/8-16 UN
24		24	24 [25]	23 F			1 7/16-18 UNEF
					25 [J]		M37 X 1 - 6H
						24	1 1/2-16 UN
				25 G			1 9/16-18 UNEF
	24						1 5/8-18 UNEF
28							1 3/4-18 UNS
	28			29 H			1 7/8-16 UN
32							2-18 UNS
	32			33 J			2 1/16-16 UNS
36							2 1/4-16 UN
	36						2 5/16-16 UNS
40							2 1/2-16 UN
	40						2 5/8-16 UN
44							2 3/4-16 UN
48							3-16 UN