



## Features

- ◆ 3-slot space for half-size mainboard
- ◆ Provides 70W power supply
- ◆ 2.5" HDD space x 1
- ◆ 5cm ball bearing cooling fan x 1
- ◆ FCC/CE industrial Class A approval

## Front Side

LED indicators, COM, parallel, power switch, reset button at the back side of the RC-100 allow easy access to the user's software.

5cm ball bearing cooling fan provides ventilation into the chassis, is also available.

## Specifications

### Chassis

3-slot half-size industrial chassis

### Drive Space

2.5" HDD space x 1

### Thermal Solution

5cm DC12V ball bearing cooling fan x 1

### Altitude

15,000 feet

### Power Supply

70W power supply

### Temperature

0~+50°C (operating); 0~+70°C (storage)

### Humidity

5~95%; non-condensing

### Safety Standard

FCC/CE on chassis and FCC/CE/UL/TUV on power supply

### Dimensions (L x W x H)

21.8 x 8.9 x 20.5 cm

## Ordering Guide

- ◆ **RC-100WB-I**  
RC-100W Chassis w/HBP-3S B/P, MPE-8071 P/S
- ◆ **RC-100WC-I**  
RC-100W Chassis w/HBP-3S B/P, BPW-8071 DC P/S
- ◆ **RC-100WB-P**  
RC-100W Chassis w/HPS-3S B/P, MPE-8071 P/S
- ◆ **RC-100WC-P**  
RC-100W Chassis w/HPS-3S B/P, BPW-8071 DC P/S