


# TrueNet®

## CopperTen® Augmented Category 6 F/UTP Patch Cords



ADC F/UTP CopperTen® patch cords can be used in data center, communications closet and work station for 10G shielded performance. Installed in high-performance networks world wide, the system's design minimizes alien crosstalk and insertion loss and meets the performance requirements of IEEE 802.3an, ISO 11801 Class EA and TIA/EIA-568-B.2-10 standards.

The high performance plug design with integrated strain relief boot prevents the cable from being moved at the termination point when the cable is flexed. The strain relief boot also ensures that correct bend radius is maintained.

### Features

- Supports 10 Gigabit Ethernet over shielded copper to a full 100 meters
- Snag less plug design with integrated strain relief
- 20 year TrueNet CopperTen warranty

SPEC SHEET



[www.adc.com](http://www.adc.com) • +1-952-938-8080 • 1-800-366-3891

## Specifications

**Operating Temperature Range:**

**RJ45 Plug Interface According to:**

**Transmission Performance and Reliability:**

**Number of Plug Insertion Cycles:**

**Conductor:**

**Jacket:**

**Bend Radius:**

**Nominal Outer Diameter:**

**Safety Rating:**

**Flammability Rating:**

-20° to 75 °C (-4° to 167°F)

IEC 60603-7

TIA/IEA 568-B.2-10 standards

≥ 750 (IEC/EN 60603-7)

26 AWG 7x32 stranded tinned copper

Lead free PVC

2 x outer diameter

7.239 mm ± .13 mm (0.285" ± 0.005")

UL 1863

UL 94 V-0

### Ordering Information

Description	Catalog Number
<b>F/UTP RJ45 to RJ45 Patch Cords</b>	
Blue	TP10GTF-BLXX
White	TP10GTF-WTXX
Gray	TP10GTF-GYXX

Sub xx for length. 04= 4 feet, 07= 7 feet, 10=10 feet, 15=15 Feet, 25=25 feet, 50=50 feet

SPEC SHEET



#### Website: [www.adc.com](http://www.adc.com)

From North America, Call Toll Free: 1-800-366-3891 • Outside of North America: +1-952-938-8080

Fax: +1-952-917-3237 • For a listing of ADC's global sales office locations, please refer to our website.

ADC Telecommunications, Inc., P.O. Box 1101, Minneapolis, Minnesota USA 55440-1101

Specifications published here are current as of the date of publication of this document. Because we are continuously improving our products, ADC reserves the right to change specifications without prior notice. At any time, you may verify product specifications by contacting our headquarters office in Minneapolis. ADC Telecommunications, Inc. views its patent portfolio as an important corporate asset and vigorously enforces its patents. Products or features contained herein may be covered by one or more U.S. or foreign patents. An Equal Opportunity Employer

104746AE 4/08 Revision © 2008, 2007 ADC Telecommunications, Inc. All Rights Reserved