

# "High Frequency Ceramic Solutions"

**Splitter, 3dB Hybrid; 2400 - 2500 MHz**

**P/N 2450CH15A0100**

Detail Specification: 08/14/08

Page 1 of 3


## General Specifications

Part Number	2450CH15A0100
Frequency (MHz)	2400 - 2500
Insertion Loss @ BW	3.3 ± 0.5 dB max.
Return Loss (dB)	14.0 min.
Amplitude Balance (dB)	1.0 max.
Phase Deviation	90° ± 3
Isolation (dB)	15.0 min.

Phase Balance	03 : 03 dB
Power Capacity	1 Watts max.
Impedance	50 Ω
Reel Quantity	4000
Operating Temperature	-40 to +85°C
Storage Temperature	+5 ~ +35°C, Humidity 45-75%RH
Storage Period	12 months max.*

## Mechanical Dimensions


	In	mm
L	0.079 ± 0.004	2.00 ± 0.10
W	0.049 ± 0.004	1.25 ± 0.10
T	0.028 ± 0.004	0.70 ± 0.10
a	0.022 ± 0.010	0.56 ± 0.25
b	0.014 ± 0.006	0.35 ± 0.15



\* - 1 yr shelf life in bag;  
1 week shelf life out of bag;  
Vacuum reseal unused reel

## Terminal Configuration

No.	Function
1	50 ohm
2	IN
3	OUT2
4	OUT1




## Mounting Considerations

Mount these devices with brown mark facing up.

Line width should provide 50Ω impedance matching characteristics.

Units: mm



Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.

# "High Frequency Ceramic Solutions"


Splitter, 3dB Hybrid; 2400 - 2500 MHz

P/N 2450CH15A0100

Detail Specification: 08/14/08

Page 2 of 3

## Typical Electrical Characteristics (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.



[www.johansontechnology.com](http://www.johansontechnology.com)

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

# "High Frequency Ceramic Solutions"


Splitter, 3dB Hybrid; 2400 - 2500 MHz

P/N 2450CH15A0100

Detail Specification: 08/14/08

Page 3 of 3

## Typical Electrical Characteristics (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.  
All sales are subject to Johanson Technology, Inc. terms and conditions.



[www.johansontechnology.com](http://www.johansontechnology.com)

4001 Calle Tecate • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved