



SD

KN-59-100

REVISIONS

ISSUE	CHANGES
4	CN 40103 C REDRAWN DRK 10/18/07

SCALE 4:1

APPROX SURFACE AREA

USED ON

REF:

PLUG, ANGLE, N

DRAWN	JG	DATE	10/12/1965
-------	----	------	------------

DESIGN		DATE	
--------	--	------	--

APPR.	LI	DATE	10/12/1965
-------	----	------	------------

A Winchester Electronics Company

KN-59-100

0.03 [0.763mm] REF.
(3 HOLES)

STAMP: KINGS KN-59-100
YRWK (DATE CODE)

- NOTES:
- FOR USE WITH 8, 8A, 11, 11A AND 213/U CABLE.
 - FOR CABLING INSTRUCTIONS SEE CP-210.
 - INTERFACE PER MIL-STD-348, FIG. 304-1.
 - MATERIALS:
INSULATORS: TEFLON, ASTM-D4894
GASKETS: SILICONE RUBBER, A-A-59588
ANGLE CONTACT F-M: BER. COP., ASTM-B196
OUTER CONTACT: PHOS. BRONZE, ASTM-B103
ALL OTHER PARTS: BRASS, ASTM-B16
 - FINISHES:
CENTER AND OUTER CONTACT: SILVER PLATE, ASTM-B700
ALL OTHER METAL PARTS: KINGS TARNISH RESISTANT NICKEL FINISH (TR-5)
 - ELECTRICAL CHARACTERISTICS:
NOMINAL IMPEDANCE: 50 OHMS
VOLTAGE RATING: 1000 VRMS
FREQUENCY RANGE: DC TO 11GHz

SD