



### 75 Ohm SMB Plug Right Angle Connector Clamp/ Solder Attachment For RG180, RG195

### TECHNICAL DATA SHEET

**PE4265** 

### 75 Ohm SMB Plug Right Angle Connector Clamp/Solder Attachment For RG180, RG195

### Configuration

ConnectorSMB PlugConnector Interface TypeRG180,RG195Cable Attachment Method (Shield/Contact)Clamp/SolderBody StyleRight Angle

### **Electrical Specifications**

Impedance, Ohms 75

### **Mechanical Specifications**

### Size

 Length, in [mm]
 0.725 [18.42]

 Width/Dia., in [mm]
 0.362 [9.19]

 Height, in [mm]
 0.643 [16.33]

 Weight, lbs [g]
 0.027 [12.25]

### Connector

Type SMB Plug
Contact Material and Plating Gold
Outer Conductor Material and Plating Brass, Nickel
Body Material and Plating Brass, Nickel
Dielectric Type PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

### **Plotted and Other Data**

Notes: Values at 25 °C, sea level

75 Ohm SMB Plug Right Angle Connector Clamp/Solder Attachment For RG180, RG195 from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 75 Ohm SMB Plug Right Angle Connector Clamp/Solder Attachment For RG180, RG195 PE4265


URL: http://www.pasternack.com/smb-plug-standard-rg180-rg195-connector-pe4265-p.aspx


The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.




MATERIALS	BRASS NICKEL PLATED	4CT GOLD PLATED	ATOR PTFE	
	BODY	CONTACT	INSULATOR	







≪I



## ASSEMBLY PROCEDURES

- SLIDE CLAMP NUT (1) OVER CABLE AS SHOWN IN A. SLIDE COMPRESSION WASHER (2) OVER BRAID & SEAT AGAINST JACKET. FLAIR BRAID OVER COMPRESSION WASHER
- SLIDE BRAID CLAMP (3) OVER DIELECTRIC & UNDER BRAID. PUSH INTO WASHER UNTIL TRIM EXCESS BRAID FLUSH WITH SURFACE OF COMPRESSION WASHER (2). INSERT IT STOPS. STRIP CABLE AS SHOWN IN B. CABLE ASSEMBLY INTO BODY & TIGHTEN. SOLDER CENTER CONDUCTOR IN PLACE. Ċ,
- 3. INSERT PTFE (4) INTO CONNECTOR. PRESS DOWN CAP.



# PASTERNACK ENTERPRISES, INC.

P.O BOX 16759, IRVINE, CA 92623 PHONE (949) 261-7920 FAX (949) 261-7451

WEB ADDRESS: www.pasternack.com E-MAIL ADDRESS: sales@pasternack.com COAXIAL & FIBER OPTICS

### PE4265 DWG TITLE

"75 OHM SMB" PLUG, RIGHT ANGLE, CLAMP ATTACHMENT FOR RG180 & RG195

147

SIZE A

SCALE N/A

CAD FILE 042309

**FSCM NO. 53919** REV NOTES

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
 ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
 DIMENSIONS ARE IN INCHES.

STRIPPING DIMENSIONS