



3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz

TECHNICAL DATA SHEET

PE7000-3

3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz

Configuration

Design Fixed, Bidirectional Attenuator

Connector 1 BNC Male
Connector 2 BNC Female
Body Material and Plating Brass, Nickel

Electrical Specifications

Frequency Range, GHz

Impedance, Ohms

Attenuation Value, dB

Maximum Input Power, Watts

DC to 2

3

1

Maximum VSWR 1.2:1

Frequency 1

Range, GHz DC to 2

Attenuation Accuracy, dB ± 0.3

Mechanical Specifications

Temperature

Operating Range, deg C -30 to +70

Size

Length, in [mm] 1.8 [45.72] Width, in [mm] 0.57 [14.48]

Connector 1

Type BNC Male
Contact Material and Plating Brass, Gold
Coupling Nut Material and Plating Brass, Nickel
Body Material and Plating Brass, Nickel

Connector 2

Type BNC Female

Contact Material and Plating Beryllium Copper, Gold

Body Material and Plating Brass, Nickel

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz PE7000-3

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.







3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz

TECHNICAL DATA SHEET

PE7000-3

Compliance Certifications (visit www.Pasternack.com for current document)

Plotted and Other Data

Notes:

Values at 25 °C, sea level

3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: 3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz PE7000-3

URL: http://www.pasternack.com/3db-fixed-bnc-female-bnc-male-1-watt-attenuator-pe7000-3-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



ISO 9001: 2008 Registered

PE7000-3 CAD Drawing

3 dB Fixed Attenuator, BNC Male To BNC Female Rated To 1 Watt Up To 2 GHz

