


# Wasserverteiler für Laserstacks mit 1/3 Laserbarren Manifold for 1/3 bar laser stacks

## SPL Manifold01



### Vorläufiges Datenblatt / Preliminary Data Sheet

#### Features

- Wasserverteiler für OSRAM OS Laserstacks mit 1/3 Laserbarren
- Anschlüsse passend für alle Laserstacks vom Typ SPL E01xxxxx and SPL E03xxxxx
- Einfache Montage von Laserstacks auf dem Wasserverteiler
- Ein- und Auslass des Kühlwassers durch Bohrungen mit 1/4" NPT-Gewinde


#### Features

- Test manifold for OSRAM OS 1/3 bar laser stacks
- Manifold connectors match all laser stack types SPL E01xxxxx and SPL E03xxxxxx
- Easy mounting of laser stacks on top of manifold
- Coolant inlet and outlet via two threaded holes for 1/4" NPT threads

•

Type	Ordering Code
SPL Manifold01	Q65110A6477

Maßzeichnung  
Package Outlines



GDOY7047

Maße in mm (Zoll) / Dimensions in mm (inch)

Allgemeintoleranz / General Tolerance: +/- 0.2 mm (0.008 inch)

Published by  
OSRAM Opto Semiconductors GmbH  
Wernerwerkstrasse 2, D-93049 Regensburg  
[www.osram-os.com](http://www.osram-os.com)

© All Rights Reserved.

The information describes the type of component and shall not be considered as assured characteristics. Terms of delivery and rights to change design reserved. Due to technical requirements components may contain dangerous substances. For information on the types in question please contact our Sales Organization.

**Packing**

Please use the recycling operators known to you. We can also help you – get in touch with your nearest sales office. By agreement we will take packing material back, if it is sorted. You must bear the costs of transport. For packing material that is returned to us unsorted or which we are not obliged to accept, we shall have to invoice you for any costs incurred.

**Components used in life-support devices or systems must be expressly authorized for such purpose!** Critical components <sup>1</sup>, may only be used in life-support devices or systems <sup>2</sup> with the express written approval of OSRAM OS.

<sup>1</sup> A critical component is a component used in a life-support device or system whose failure can reasonably be expected to cause the failure of that life-support device or system, or to affect its safety or effectiveness of that device or system.

<sup>2</sup> Life support devices or systems are intended (a) to be implanted in the human body, or (b) to support and/or maintain and sustain human life. If they fail, it is reasonable to assume that the health of the user may be endangered.